

14. Visit 2 - Date of Visit 2

14.1 Date of Visit 2 (dd-mm-yyyy)	Number	Question	Answers
	14.1	Date of Visit 2	(dd-mm-yyyy)

14.2 Is Date of Visit 2 between 4 and 26 days after Date of Visit 1? Automatic Calculation on Castor



15. Visit 2 - Concomitant Medications

Number	Question	Answers	
15.1	Concomitant Medications		

Please complete Concomitant Medications Log



16. Visit 2 - Adverse Events

Number	Question	Answers
16.1	Adverse Events	

Please complete Adverse Events Log



17. Visit 2 - Glucose Review

Number	Question	Answers
17.1	Was Glucose Management Assessed? If Glucose Management not assessed, this is a Protocol breach	○ YES ○ NO
17.1.1	Does the participant report any level 2 or level 3 hypoglycaemic events since last visit? If there has been a level 3 hypoglycaemic event since last visit, participant is ineligible for trial. Complete the hypoglycaemic repeating data.	○ YES ○ NO

Level 3 hypoglycaemic event is defined as requiring hospitalisation and/or assistance of another person to actively administer carbohydrate, glucagon, or other resuscitative actions. These episodes may be associated with sufficient neuroglycopaenia to induce seizure or coma. Plasma glucose measurements may not be available during such an event, but neurological recovery attributable to the restoration of plasma glucose to normal is considered sufficient evidence that the event was induced by a low plasma glucose concentration.

Hypoglycaemic Events

17.1.1.2 Please record any level 2 or 3 hypoglycaemic events in the Hypoglycaemic Events Log

17.1.3	Has the participant registered with a CGM diabetes	
	management device, e.g. Libreview or Dexcom?	

OYES \bigcirc NO



18. Visit 2 - Ketone Review

10. VIS		
Number	Question	Answers
18.1	Have there been any Ketone measures taken since the last visit?	○ YES ○ NO
18.1.1	Number of ketone measurements taken since last visit	
18.1.2	Number of episodes with ketone levels between 0.6 and 1.5 mmol/L (inclusive of endpoints).	
	pisode is a period where ketones have gone above the threshold If it then went up again that would be a new distinct event.	l (0.6 mmol/L) and then come down
18.1.4	Number of episodes with ketone levels greater than 1.5 mmol/L	
	pisode is a period where ketones have gone above the threshold If it then went up again that would be a new distinct event.	d (1.5 mmol/L) and then come down
18.1.6	Have there been any DKA events since the last visit?	○ YES ○ NO
If there has	been a DKA event since last visit participant is ineligible for trial	

If there has been a DKA event since last visit, participant is ineligible for trial. Complete the DKA repeating data.

DKA Events

18.1.6.2 Please complete DKA Log