

52. Visit 7 - Date of Visit 7

Number	Question	Answers			
52.1	Date of Visit 7	(dd-mm-yyyy)			
52.2	Is Visit 7 date 109 to 115 days after Visit 3 date?	Automatic Calculation on Castor			



Participant ID	[][11	11	11	
an aronparite in			J L		

Initials	[]	[]	[
----------	-----	-----	---

53. Visit 7 - SOPHIST Cardiac Magnetic Resonance (CMR) Substudy

Number	Question	Answers
	Only to be completed by Tayside, Gra	mnian Guys & St Thomas
53.1	omy to be completed by rayside, ora	implan, days a or momas
	MRI	
53.2.2	Has MRI been done?	Oyes
		ONO
53.2.2.1	If No, please give a reason	
53.3.1	Date of MRI	(dd-mm-yyyy)
53.3.2	Haematocrit value (this will be from a full blood count test that is to be obtained at the time of the scan)	L/L



S PHIST	Participant ID [_	.][_][_][_][_]
----------------	--------------------	----------------

Initials	r 1	Γ 1	Ιſ

54. Visit 7 - NYHA Class

Number	Question	Answers
54.1	NYHA Class	○ I - No limitation of physical activity. Ordinary physical activity does not cause undue fatigue, palpitation, dyspnoea (shortness of breath).
		○ II - Slight limitation of physical activity. Comfortable at rest. Ordinary physical activity results in fatigue, palpitation, dyspnoea (shortness of breath).
		 III - Marked limitation of physical activity. Comfortable at rest. Less than ordinary activity causes fatigue, palpitation, or dyspnoea.
		○ IV - Unable to carry on any physical activity without discomfort. Symptoms of heart failure at rest. If any physical activity is undertaken, discomfort increases.



55. Visit 7 - Concomitant Medications

Number	Question	Answers	
55 1	Concomitant Medications		

Please complete Concomitant Medications Log



Participant ID [_] [_] [_] [_]

Initials [_] [_] [_]

56. Visit 7 - Adverse Events

Number	Question	Answers

56.1 Adverse Events

Please complete Adverse Events Log



Participant ID	[][11	11	· 1[. 1

Initials	Γ 1	[]	Γ
minaio			

57. Visit 7 - Glucose Review

Number	Question	Answers	
57.1	Was Glucose Management Assessed? If Glucose Management not assessed, this is a Protocol breach	○ YES ○ NO	
57.2	Insulin administration	○ Subcutaneous injections○ Pump	
57.3	Daily basal insulin dose (average of last 7 days)		units/day
57.4	Daily bolus insulin dose (average of last 7 days)		units/day
57.5	Total daily insulin dose (average of last 7 days)	Automatic Calculation on Castor	
	CGM summary data from previous 2 weeks		
57.6	Are summary data from CGM readings over the 2 weeks prior to this visit available?	○ YES ○ NO	
57.6.1	Number of days CGM worn over preceding 14 days		days
57.6.2	Percentage of time CGM was active over preceding 14 days		%

S *	PHIST	Participant ID [_] [_]][_][_]	Initials [_] [_] [_]
57.6.3	Mean blood glucose level ov	er preceding 14 days		mmol/L
57.6.4	Blood glucose percentage tir preceding 14 days	me above 13.9 mmol/L over		%
57.6.5	Blood glucose percentage tir preceding 14 days	ne from 10.1 to 13.9mmol/L over		%
57.6.6	Blood glucose percentage tir preceding 14 days	ne from 3.9 to 10.0 mmol/L over		%
57.6.7	Blood glucose percentage tir preceding 14 days	ne from 3.0 to 3.8 mmol/L over		%
57.6.8	Blood glucose percentage tir preceding 14 days	ne below 3.0 mmol/L over		%
57.6.9	Do blood glucose percentage up to 100%?	e times spent in each range add		ulation on Castor
57.6.10		ver preceding 14 days <i>Warning</i>		%CV
57.1.1	Does the participant report a hypoglycaemic events since		O YES O NO	
SOF	HIST Worksheet Visit 7	V2 02/12/2025	IRAS 1007807	Page 7 of 15

Level 3 hypoglycaemic event is defined as requiring hospitalisation and/or assistance of another person to actively administer carbohydrate, glucagon, or other resuscitative actions. These episodes may be associated with sufficient neuroglycopaenia to induce seizure or coma. Plasma glucose measurements may not be available during such an event, but neurological recovery attributable to the restoration of plasma glucose to normal is considered sufficient evidence that the event was induced by a low plasma glucose concentration

	Hypoglycaemic Events	Please record any level 2 or 3 hypog	glycaemic events in the Hypoglycaemic	Events Log
57.1.1.2	Hypoglycaemic Events			
57.1.3	Does the participant report hypoglycaemic events in the		○ YES ○ NO	
57.1.3.1	If Yes, specify			



Participant ID	[]	٦] ا	1 F	11][_	1
ar dolpant 15	L J	L .		11	11	- 1

Initials [1[1	Γ
------------	----	---	---

58. Visit 7 - Ketone Review

Number	Question	Answers
	Ketone Readings	
58.1	Have there been Ketone measures since the last visit?	○YES ○NO
58.1.1	Number of ketone measurements taken since last visit	
58.1.2	Number of episodes with ketone levels between 0.6 and 1.5 mmol/L (inclusive of endpoints).	
	A distinct episode is a period where ketones have gone above the below this. If it then went up again that would be a new distinct e	
58.1.4	Number of episodes with ketone levels greater than 1.5 mmol/L	
	A distinct episode is a period where ketones have gone above the below this. If it then went up again that would be a new distinct expression of the control	ne threshold (1.5mmol/L) and then come down event.
58.1.6	Have there been any DKA events since the last visit?	○ YES ○ NO
	DKA Events	
58.1.6.2	DKA Events If the participant has experienced any DKA events please complete the l	DKA Events Log



Participant ID	[]	[]	[11	11	1
ar dolpant 10		1 1	L	J L	11	

Repeating Data 'Vital Signs'

Form Vital Signs

Number	Question	Answers
	Complete Vital Signs form	
1.1	Blood Pressure - Systolic	mmHg
1.2	Blood Pressure - Diastolic	mmHg
1.3	Pulse	bpm



Participant ID	11	1 [11	11	-
artiolparit ID		- 11			

60. Visit 7 - Physical Examination

Number	Question	Answers
60.1	Weight	kg
60.2	Cardiovascular	○ Normal
		○ Abnormal
60.2.1	If abnormal, provide details	
60.3	Respiratory	○ Normal
		○ Abnormal
60.3.1	If abnormal, provide details	
60.4	Gastrointestinal	○ Normal ○ Abnormal
		○ Abnormal
60.4.1	If abnormal, provide details	
60.5	Neurological	○ Normal
		○ Abnormal
60.5.1	If abnormal, provide details	
60.6	Other Abnormalities?	OVES
	-	○ YES ○ NO

Participant ID [_] [_] [_] [_]

Initials [_] [_] [_]

60.6.1 If Other Abnormalities, specify



S PHIST Participant ID	[_][_	_][_	.][_	_][_	_]
------------------------	----	-----	------	------	------	----

Initials	Γ 1	[]	Γ
minaio			

61. Visit 7 - Questionnaires

Number	Question	Answers
61.1	Has the KCCQ questionnaire been completed?	Oyes
		\bigcirc NO
61.1.1	Add KCCQ	Performed in Castor
61.2	Has the DTSQs questionnaire been completed?	Oyes
		\bigcirc NO
61.2.1	Add DTSQs	Performed in Castor
61.3	Has the DTSQc questionnaire been completed?	OYES
		ONO
61.3.1	Add DTSQc	
		Performed in Castor
61.4	Has the EQ-5D-5L questionnaire been completed?	OYES
		ONO
61.4.1	Add EQ-5D-5L	Performed in Castor



62. Visit 7 - 6-Minute Walk Test

Number	Question	Answers
	Please complete 6-Minute Walk Test	
62.1	Was 6-Minute Walk Test completed?	○ YES ○ NO
62.1.1	Distance walked in 6 minutes?	m
62.1.2	Number of stops?	



Participant ID [] [] []		[1
----------------------------	--	---	---

Initiala	 г 1	. г
Initials		

63. Visit 7 - Samples

Number	Question Safety Bloods	Answers
	Safety Bloods - please complete Safety Bloods Results Sheet	t Urine Sample
53.1	Urine Sample - please complete Urine Sample Results Sheet	
3.2		
3.3	Were research bloods taken and processed as per laboratory manual?	OYES
	manaan.	ONO
3.3.1	If answered No, give reason	
		<u></u> :
3.4	HbA1c performed?	○ YES ○ NO
		O NO
3.4.1	HbA1c units used?	O mmol/mol
		○ %
3.4.1.1	HbA1c level	mmol/mol
3.4.1.2	HbA1c level	%
		/ /



Participant ID	[]	Γ	11	11	1[1

Repeating Data 'Safety Bloods'

Form Safety Bloods

Number	Question	Answers
1.1	Date of blood sample Warning shown if field's value is larger than NOW: 'Date of blood sample cannot be in the future.'	(dd-mm-yyyy)
1.2	Haemoglobin	
1.3	Haemoglobin Unit	○ g/L ○ g/dL
1.4	Is the haemoglobin value within the expected range? Warning shown if field's value is equal to NO: 'Haemoglobin value should be between 50 and 200 g/L OR between 7 and 20 g/dL.'	
1.5	Sodium Warning shown if field's value is smaller than 120: 'Sodium value should be between 120 and 150 mmol/L.' Warning shown if field's value is larger than 150: 'Sodium value should be between 120 and 150 mmol/L.'	mmol/L
.6	Potassium Warning shown if field's value is smaller than 2.5: 'Potassium value should be between 2.5 and 6.5 mmol/L.' Warning shown if field's value is larger than 6.5: 'Potassium value should be between 2.5 and 6.5 mmol/L.'	mmol/L
.7	Urea Warning shown if field's value is smaller than 1: 'Urea value should be between 1 and 30 mmol/L.' Warning shown if field's value is larger than 30: 'Urea value should be between 1 and 30 mmol/L.'	mmol/L
.8	Creatinine Warning shown if field's value is smaller than 20: 'Creatinine value should be between 20 and 400 µmol/L.' Warning shown if field's value is larger than 400: 'Creatinine value should be between 20 and 400 µmol/L.'	μmol/L
.9	Glucose Warning shown if field's value is smaller than 3: 'Glucose value should be between 3 and 30 mmol/L.' Warning shown if field's value is larger than 30: 'Glucose value should be between 3 and 30 mmol/L.'	mmol/L
.10	eGFR	mL/min/1.73m2
.11	Has eGFR been reported in the correct range/format? Warning shown if field's value is equal to NO: 'eGFR: Value should be an integer between 0 and 100. Values between this range can also be written with a ">" in front of the value'	



Participant ID	[]	Г 1	Г	1 Г	1 Г	1
articipant ib	L J	L J	L_	JL_	_] [J

Repeating Data 'Urine Sample'

Form Urine sample

Number	Question	Answers
1.1	Date of urine sample Warning shown if field's value is larger than NOW: 'Date of urine sample cannot be in the future.'	(dd-mm-yyyy)
1.2	Albumin	mg/L
1.3	Albumin check Warning shown if field's value is equal to NO: 'Urine albumin must be in the range 0-3000 mg/L or <3 mg/L'	
1.4	Creatinine	
1.5	Creatinine Units	○ μmol/L ○ mmol/L
1.6	Urine albumin/creatinine ratio Warning shown if field's value is smaller than 0: 'Urine albumin/creatinine ratio must be between 0 and 2000 mg/mmol creat.' Warning shown if field's value is larger than 2000: 'Urine albumin/creatinine ratio must be between 0 and 2000 mg/mmol creat.'	mg/mmol creat
1.7	Sodium Warning shown if field's value is smaller than 5: 'Sodium value should be between 5 and 130 mmol/L.' Warning shown if field's value is larger than 130: 'Sodium value should be between 5 and 130 mmol/L.'	mmol/L