

	Participant ID	[ ] [	[ ] [	1	[ ]	[ ]
--	----------------	-------	-------	---	-----	-----

Initials [ \_ ] [ \_ ] [ \_ ]

### 64. Visit 8 - Date of Visit 8

Number	Question	Ans	wers	
64.1	Date of Visit 8			(dd-mm-yyyy)
64.2	Is Visit 8 date 137 to 143 days after Visit 3 date?			



Initials [ \_ ] [ \_ ] [ \_ ]

# 65. Visit 8 - NYHA Class

Number	Question	Answers
65.1	NYHA Class	○ I - No limitation of physical activity. Ordinary physical activity does not cause undue fatigue, palpitation, dyspnoea (shortness of breath).
		<ul> <li>II - Slight limitation of physical activity.</li> <li>Comfortable at rest. Ordinary physical activity results in fatigue, palpitation, dyspnoea (shortness of breath).</li> </ul>
		<ul> <li>III - Marked limitation of physical activity.</li> <li>Comfortable at rest. Less than ordinary activity causes fatigue, palpitation, or dyspnoea.</li> </ul>
		IV - Unable to carry on any physical activity without discomfort. Symptoms of heart failure at rest. If any physical activity is undertaken, discomfort increases.



Participant ID [ \_ ] [ \_ ] [ \_ ] [ \_ ]

Initials [ \_ ] [ \_ ] [ \_ ]

# 66. Visit 8 - Concomitant Medications

Number	Question	Answers	
66 1	Concomitant Medications		

Please complete the Concomitant Medications Log



Initials [ \_ ] [ \_ ] [ \_ ]

### 67. Visit 8 - Adverse Events

Number	Question	Answers

67.1 Adverse Events

Please complete the Adverse Events Log



Initials	[_	][.	_][_	_]
----------	----	-----	------	----

### 68. Visit 8 - Glucose Review

Number	Question	Answers
68.1	Was Glucose Management Assessed?	OYES
If Glucose Management not assessed, this is a Protocol breach	ONO	
68.1.1	Does the participant report any level 2 or level 3	Oyes
hypoglycaemic events since last visit?	ONO	
	Level 3 hypoglycaemic event is defined as requiring hos to actively administer carbohydrate, glucagon, or other associated with sufficient neuroglycopaenia to induce s may not be available during such an event, but neurolog plasma glucose to normal is considered sufficient evide glucose concentration	resuscitative actions. These episodes may be eizure or coma. Plasma glucose measurements ical recovery attributable to the restoration of
	Hypoglycaemic Events	
68.1.1.2	Hypoglycaemic Events	

Please record any level 2 or 3 hypoglycaemic events in the Hypoglycaemic Events Log



Participant ID [ _	][_	_][_	_][_	_][_	_ ]
--------------------	-----	------	------	------	-----

Initials	[ ]	ſ	11	
	L J	L	J L _	

# 69. Visit 8 - Ketone Review

Number	Question	Answers
	Ketone Readings	
69.1	Have there been Ketone measures since the last visit?	○ YES ○ NO
69.1.1	Number of ketone measurements taken since last visit	
69.1.2	Number of episodes with ketone levels between 0.6 and 1.5 mmol/L (inclusive of endpoints).	
	A distinct episode is a period where ketones have gone above t below this. If it then went up again that would be a new distinct	
69.1.4	Number of episodes with ketone levels greater than 1.5 mmol/L	
	A distinct episode is a period where ketones have gone above t below this. If it then went up again that would be a new distinct	
69.1.6	Have there been any DKA events since the last visit?	○ YES ○ NO
	DKA Events	
69.1.6.2	DKA Events  If the participant has experienced any DKA events please	e complete the DKA Events Log



# 68. Completion of Trial/Early Withdrawal - Completion of Trial/Early Withdrawal

Number	Question	Answers
68.1	Did the participant complete the trial?	○ Yes ○ No
68.2	Date of Completion/Withdrawal	(dd-mm-yyyy)
68.3	Is Date of Completion/Withdrawal before Date of Visit 1?	Automatic Calculation in Castor
68.1.1	If participant did not complete the trial, what was the main reason (tick one only)  If field's value is equal to Pregnancy: a Pregnancy Notification Form must be completed.	<ul> <li>Advice from GP/other healthcare professional</li> <li>Adverse event</li> <li>Participant's choice</li> <li>Pregnancy</li> <li>On advice of investigator</li> <li>Lost to follow-up</li> </ul>
		○ Died ○ Screen fail ○ Other
68.4	Details Calculation	
68.4.1	Please give details	

To be electronically verified by the PI once participant has completed the trial and all data entered